Town of Sharon

WATER QUALITY REPORT FOR 2022

Important Information about Your Drinking Water

To Our Customers,

The Sharon DPW and Water Department have finally returned to our daily routines after disruption wrought by the coronavirus, political change and supply chain delays. Once again, other than the new meter installation, I suspect you again have not had too much opportunity to pay attention to your municipal water service. However, know that during this entire period, the Sharon Water Department and Public Works personnel have been at work every day maintaining essential water service for public health and safety. As a result, your water kept flowing while continuing to meet all regulatory standards, including those recently proposed by EPA to further reduce standards for PFAS compounds. With this understanding if you read no further, the most important take away from this Annual Water Quality Report is the drinking water in Sharon continues to meet or exceed all current and recently proposed State and Federal drinking water quality standards.

If you do decide to read further, I am pleased to present you with this year's Annual Water Quality Report, providing you with information on where your water comes from, what we are doing to modernize our system, what is found in the water, what we do to ensure high-quality water now and plan to do in the future, and tips on efficient use of water.

The Sharon Water Department (Public Water Supply No. 4266000) recognizes that the single most important aspect of our job is to deliver high quality water for public health to the residents of Sharon. As a result, the most significant components of this effort are protection of the natural resources that contribute to your water supply and modernization of the distribution network that delivers this water to you.

We remain committed to protection of the areas around our water supplies. Most Town residents remain unaware that the Water Department is the sixth largest individual landowner in the Town behind only, in order of total land ownership, the Sharon Conservation Commission, the Massachusetts Audubon Society, the Commonwealth of Massachusetts, the Town of Sharon (which includes School Department property) and the Trustees of Reservations. Two landowners, the Sharon Conservation Commission and the Massachusetts Audubon Society, combined, own about a quarter of the land in Sharon. In fact, with the purchase of Rattlesnake Hill, over 75% of the Town is tax exempt, protected open space.

Our staff continue to work tirelessly to remain well informed about ever-evolving regulations that pertain to existing and emerging contaminants, most notably PFAS (perand polyfluoroalkyl substances) that are now detected in parts per trillion (0.00000001) which has resulted in filtration being required for the first time in the 125 year history of the Sharon Water Department. Additionally, more stringent regulatory limits on water withdrawals during droughts are anticipated, which make it likely that mandatory lawn watering restrictions will remain the norm. Your ongoing support is truly invaluable as we enter into these uncharted waters.

At a time where increased connectivity and a never ending "breaking news" cycle is bringing us to the brink of information overload, it is increasingly difficult to find time to focus on anything that is not hyped as imminent. For those of you who have the time and interest to digest the information in this report, congratulations and happy reading! For those without the time or interest for now, know that you can always access this report on the Town of Sharon Website. As always, if you have any questions on any of the information provided within this report, please feel free to call our office at 781-784-1525.

Recently Completed, Ongoing and Proposed Projects

Work has been recently completed for several significant system improvements: (1) replacement of the water storage tank off Massapoag Avenue and (2) construction of an emergency pump station connection to the MWRA via Norwood at the town line at Tiot Street and installation of a bypass main under Tiot Street and up Edgehill Road to Norwood Street. Completion of these projects are vital for emergency supply and storage purposes.

Water meter replacement is also nearing completion after wrestling with supply chain issues with the selection of a fixed network, cellular-based system to replace our current meter stock that has been failing at an increasing rate as we waited out supply chain issues.

Water main in the railroad parking lot neighborhood is now scheduled to finally resume this summer after a multi-year hiatus. Most importantly, facility design for the permanent treatment facility is proceeding with the Fall of 2024. This facility coupled with the emergency connection to the MWRA will insure that Sharon's drinking water exceeds both current and recently proposed Federal EPA and Commonwealth standards.

SHARON'S WATER SYSTEM Our water system includes six groundwater supply wells and pumping stations, four water storage tanks, and approximately 120 miles of water main. Our groundwater sources are of good quality and require minimal treatment. Our water is disinfected and treated for corrosion control to reduce the amounts of lead and copper in our water. Fluoride is added to our water to promote strong teeth and prevent tooth decay/cavities.

POTENTIAL SOURCES OF

CONTAMINATION Sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.


Inorganic contaminants, such as salts and metals, can be naturally-occurring or result from urban storm water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, and farming.

Pesticides and herbicides may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants include synthetic and volatile organic chemicals that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive contaminants can be naturally occurring or be the result of oil and gas production, and mining activities.

QUALITY CONTROL To ensure that tap water is safe to drink, the Department and Environmental Protection Agency (EPA) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contamination. The presence of contaminants does not necessarily indicate that water poses a health risk. Food and Drug Administration (FDA) and the Massachusetts Department of Public Health regulations establish limits for contaminants in bottled water that must provide the same protection for public health. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791.)



Help to Protect Our Water Supply!

The Department of Environmental Protection (DEP) has prepared a Source Water Assessment Program

(SWAP) Report for our water supply sources. The SWAP report assesses the susceptibility of public water supplies. A copy of the SWAP report is available at the Department of Public Works office. Our SWAP report has indicated that our groundwater is highly susceptible to contamination from residential activities adjacent to the wells; residential land uses; accidental spills from local roadways, Route 95 and the railroad; hazardous materials storage; existing contamination sites; and agricultural activities.

As a consumer, you have an impact on the quality of our water supply sources, and therefore, the quality of the water you drink. The land around our groundwater wells is mainly forested and residential with fewer amounts zoned as commercial. When rain falls or snow melts, the seemingly small amounts of chemicals and other pollutants around your property may be transferred by groundwater or overland flows to the wells.

Drinking Water and People with Weakened Immune Systems

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly people, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Center for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the EPA's Safe Drinking Water Hotline at 1-800-426-4791.

CROSS CONNECTIONS


A cross connection is a connection between a drinking water pipe and a polluted source. The pollution can come from your own home. For instance, you're going to spray fertilizer on your lawn. You hook up your hose to the sprayer that contains the fertilizer. If the water pressure drops (say because of fire hydrant use in the town) when the hose is connected to the fertilizer, the fertilizer may be sucked back into the drinking water pipes through the hose. Using an attachment on your hose called a backflow prevention device can prevent this problem. The Sharon Water Department recommends the installation of backflow prevention devices, such as a low-cost hose-bib vacuum breaker, for all inside and outside hose connections. You can purchase this at a hardware store or plumbing supply store. This is a great way for you to help protect the water in your home as well as the drinking water system in your town. For additional information on cross connections and on the status of your water system's cross connection program, please contact Eric Hooper at the Sharon Department of Public Works at 781-784-1525.

Water Usage

The annual pumping graph shows the total volume of water pumped from the Town's six groundwater supply wells for each year from 1995 through 2022. The six wells are used to supply drinking water to meet the demands of the Town's water customers. The Town is permitted by the State to pump no more than 650 million gallons of water each year. During the 28-year period, the annual average volume of water pumped was 502 million gallons,

148 million gallons below the permitted volume. From 1995 through 2007, the pumped volume was above the 28-year average. However, since 2008, due in part to incrementally more restrictive outdoor water use regulations and diligent efforts by the Water Department to prevent or locate and repair leaks, the pumped volume has been below the 28-year average with one exception. In 2022, our volume of water pumped was 442 million gallons.

Efficient water use helps to conserve our water supplies. Find out about your own water usage. Divide the number of gallons you consumed on your water bill by the number of days since your prior bill. Then divide by the number of people living in your home. Your gallons per capita daily (gpcd) water use should not exceed 65 gpcd. Lower use means lower water bills.



Annual Pumping (million gallons)

WATER QUALITY SUMMARY Listed below are 17 contaminants detected in Sharon's drinking water in 2022. Not listed are over 100 other contaminants for which we tested but did not detect. The complete list of contaminants that we test for is available at the Department of Public Works office and at the Sharon Public Library.

Samples Collected from Our Water Supply									
Substance (Contaminant)	Units	Highest Level Detected	Range of Detection	Highest Level Allowed (EPA's MCLs)	Ideal Goals (EPA's) MCLGs)	Sources of Contaminant			
PRIMARY CHEMICALS									
Alpha Emitters ¹	pCi/L	10.6	0.1-10.6	15	0	Erosion of natural deposits			
Chloroform	ppb	1.2	ND-1.2	70	N/A	By-product of drinking water chlorination			
Combined Radium ¹	pCi/L	2.39	0.89-2.39	5	0	Erosion of natural deposits			
Fluoride ²	ppm	0.82	0.65-0.82	4	4	Water additive which promotes strong teeth			
Nitrate	ppm	6.14	0.68-6.14	10	10	Runoff from fertilizer use; Leaching from septic tanks			
Perchlorate ^{1,3}	ppb	0.34	0.07-0.34	2.0	N/A	Oxygen additive in solid fuel propellent for rockets, missiles, and fireworks			
PFAS6	ppt	18.9 (Avg)	ND-19.4	20.0	N/A	Discharges and emissions from industrial and manufacturing sources associated with the production or use of these PFAS, including production of moisture and oil resistant coatings on fabrics and other materials. Additional sources include the use and disposal of products containing these PFAS, such as fire-fighting foams.			
SECONDARY CHEMICAL									
Manganese	ppb	178 (Avg)	7-984	NR	NR	Erosion of natural deposits			
UNREGULATED CHEMICALS 4									
Chlorodibromomethane	ppb	0.6	ND-0.6	NR	NR	By-product of drinking water chlorination			
Perfluorobutane sulfonic acid (PFBS)	ppt	1.5 (Avg)	ND-4.5	NR	NR	Manmade chemical used in products to make them stain, grease, heat and water resistant			
Perfluorohexanoic acid (PFHxA)	ppt	3.3 (Avg)	ND-10	NR	NR	Manmade chemical used in products to make them stain, grease, heat and water resistant			
Sodium⁵	ppm	74.3 (Avg)	56.3-82.4	NR	NR	Discharge from the use and improper storage of sodium-containing de-icing compounds or in water-softening agents			

Samples Collected from Your Faucets

Substance (Contaminant)	Units	Highest Runnir Annual Averag		nge of	lighest Level Allowed (EPA's MCLs)	Ideal Goals (EPA's MCLGs)	Sources of Contaminant				
PRIMARY CHEMICALS											
Total Trihalomethanes	ppb	25.3 (SITE 4	4) 3.4	-32.8	80	N/A	By-product of drinking water chlorination				
Haloacetic Acids (HAA5)	ppb	3.6 (SITE 4)	NE	0-6.4	60	N/A	By-product of drinking water chlorination				
Chlorine	ppm	0.53	0.0)4-1.11	4(MRDL)	4(MRDL)	Water additive used to control microbes				
		Units	90th Percentile	Range of Detection	Action Level (EPA's MCLs)	Ideal Goals (EPA's MCLGs)					
Copper ⁶ (0 samples exceeded th	e action level)	ppm	0.11	ND-0.37	1.3	1.3	Corrosion of household plumbing systems				
$Lead^{6}$ (2 samples exceeded the action level)		ppb	6	ND-39	15	0	Corrosion of household plumbing systems				

NITRATE in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider.

Definitions

Maximum contaminant level goal (MCLG) – The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum contaminant level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Residual Disinfection Level (MRDL) – The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of disinfectants is necessary for control of microbial contaminants (ex. chlorine, chloramines, chlorine dioxide).

Maximum Residual Disinfection Level Goal (MRDLG) – The level of drinking water disinfectant below which there is no known expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Action Level – The concentration of a contaminant, which, if exceeded, triggers a treatment or other requirements that a water system must follow. The action level for lead and copper is the 90th percentile of all samples taken at one time.

ND – Substance not detected	ppm – One part per million; one part per million is equivalent to \$1 in \$1,000,000.					
in the sample.	ppb – One part per billion; one part per billion is equivalent to \$1 in \$1,000,000,000.					
NR – Not regulated.	ppt - One part per trillion; one part per trillion is equivalent to \$1 in \$1,000,000,000,000.					
	pCi/L - picocuries per liter (a measure of radioactivity)					

Notes:

¹ The state allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative are more than one year old. Samples for perchlorate were taken in 2020. Samples for alpha emitters and combined radium were taken in 2021.

² Fluoride occurs naturally in all water supplies in trace amounts. Fluoride is added to the Sharon water supply to adjust the fluoride level to about one ppm so that it is optimal for better oral health. At this level, it is safe, odorless, colorless, and tasteless. Fluoride has a secondary maximum contaminant level (SMCL) of 2 ppm to better protect human health.

³ Massachusetts has set a maximum contaminant level of 2.0 ppb for perchlorate.

⁴ Unregulated contaminants are those for which the EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining their occurrence in drinking water and whether future regulations are warranted.

⁵ The Massachusetts Office of Research and Standards has set a guideline concentration of 20 ppm for sodium. Some people who drink water containing sodium at high concentrations for many years could experience an increase in blood pressure.

⁶ Lead and copper compliance is based on the 90th percentile value, which is the highest level found in 9 out of every 10 homes sampled. This number is compared to the action level for each contaminant. The 90th percentile for lead and copper did not exceed the action level.

LEAD If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Sharon Department of Public Works is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at *mm.epa.gov/safewater/lead*.

MANGANESE is a naturally occurring mineral found in rocks, soil, groundwater, and surface water. Manganese is necessary for proper nutrition and is part of a healthy diet but can have undesirable effects on certain sensitive populations at elevated concentrations. The United States Environmental Protection Agency (EPA) and MassDEP have set an aesthetics-based Secondary Maximum Contaminant Level (SMCL) for manganese of 50 parts per billion. In addition, MassDEP's Office of Research and Standards (ORS) has set a drinking water guideline for manganese (ORSG), which closely follows the EPA public health advisory for manganese. Well 6 has elevated levels of manganese. We use this well rarely, only when demands are elevated or other wells are temporarily taken out of service.

Drinking water may naturally have manganese and, when concentrations are greater than 50 ppb, the water may be discolored and taste bad. Over a lifetime, the EPA recommends that people drink water with manganese levels less than 300 ppb and over the short term, EPA recommends that people limit their consumption of water with levels over 1000 ppb, primarily due to concerns about possible neurological effects. Children younger than one year old should not be given water with manganese concentrations over 300 ppb, nor should formula for infants be made with that water for more than a total of ten days throughout the year. The ORSG differs from the EPA's health advisory because it expands the age group to which a lower manganese concentration applies from children less than six months of age to children up to one year of age to address concerns about children's susceptibility to manganese toxicity. See EPA Drinking Water Health Advisory for manganese at: *www.epa.gov/sites/default/files/2014-09/documents/support_cc1_magnese_dwreport_0.pdf* and MassDEP Office of Research and Standards (ORSG) for manganese *www.mass.gov/doc/massdep-office-of-research-and-standards-guideline-orsg-for-manganese/download?_ga=2.224281821.778819075.1638290958-632873118.1621443750*.

Together, We Can Conserve Water...

The Sharon Water Department is committed to water conservation and has partnered with the Neponset River Watershed Association (NepRWA) to manage a townwide Water Conservation Program. Rebate programs, outreach, and education help to inspire residential water efficiency, which saves money and energy, improves the town's ecosystem, and maintains water independence.





Rebate Program

Toilets Residents are eligible for a rebate for half the cost of a toilet, up to \$200. The toilet being installed must be a WaterSense labeled model of 1.28 GPF or less.

Toilets must be installed by a licensed plumber and be inspected by the Sharon plumbing inspector. Rebates for replacing toilets in existing homes only, not new construction.



Clothes Washers

Get \$200 for installation of a clothes washer with an Energy Star water factor of 4.0 or less. Look for efficient clothes washers at energystar.gov

Rebate terms & conditions apply. Please call the Water Department at 781-784-1525 x2315, prior to purchase, to confirm eligibility. More info. can be found at **sharonwater.com**

In 2022, 20 toilet rebates and 26 clothes washer rebates were distributed.

Free Water Efficient Showerheads and Faucet Aerators



WaterSense labeled showerheads and faucet

aerators are made available to Sharon residents at the Water Department during regular business hours. In 2022, 4 showerheads and 10 aerators were distributed.

EyeOnWater Program

In 2022, the Sharon Water Department offered online customer portal and phone

application that gives you direct access to your water consumption data and provides tools to help manage water use.

EyeOnWater delivers information on the web and through mobile phone apps — and also delivers leak alerts and usage trends through email, text messages, or on-smart device notifications.

Create an account at www.eyeonwater.com/signup

To complete the EyeOnWater registration, residents need to submit their account and customer number from their water bill. Call the Sharon Water Department with any questions at 781-785-1525 x2315

The "EyeOnWater" phone app is also available for Android and iOS devices in the app store.

School Program

NepRWA staff visited approximately 280 of the 5th-grade students in the Sharon school district.

Students were taught about the town's water resources, water infrastructure, water conservation issues, and stormwater pollution. The program was presented using a PowerPoint, and interactive groundwater and enviroscape models.



Water conservation brochures were given to students and they were encouraged to share the information with their families and friends. Follow-up materials were shared with teachers.

Media

Water conservation newsletters were produced quarterly for residential water bills; social media messages about drought and water conservation were posted to town accounts; and a town-specific water conservation website **sharonwater.com** continues to be updated as needed.

Sharon Water Department Awarded 2022 Utility of the Year

In September, the New England Water Works Association recognized the Sharon Water Department for their quick response to the Town's PFAS situation, commitment to longterm projects, and continued supply of high quality water. Only 25 annual utility awards are given out nation-wide.

Standard Annual Outdoor Water Restriction: May 1–Oct. 1

Water use, much like electricity, has peak hours that stress the system. Sharon's water use restrictions allow water tanks to refill after peak morning demand, ensuring fire fighting capability, and lessening environmental impact.

Lawn sprinklers, either underground or hose fed, must adhere to the following odd/even schedule:

- Odd Numbered Homes-Mon. & Thurs.-6pm to 8pm only
- Even Numbered Homes-Tues. & Fri.-6pm to 8pm only
- Residents may use one hand-held hose, fitted with a spray nozzle, without restriction.





... AND REDUCE STORMWATER POLLUTION.

Stormwater pollution occurs when rain and snowmelt flow over impervious surfaces, like paved streets, parking lots, and rooftops, and does not percolate into the ground.

The "runoff" picks up fertilizer, motor oil, pet waste, and other contaminants and flows into storm drains, which then discharge the untreated, polluted water into our local waterways.

Regional Stormwater Partner

The Sharon Water Department is a member of the **Neponset Stormwater Partnership (NSP)**, a regional program managed by the Neponset River Watershed Association (NepRWA).



The Partnership aims to reduce the cost and increase the effectiveness of stormwater management programs through collaborative projects and resource sharing. Outreach to the community is implemented through newsletters, mailers, and public school programs.

Polluted stormwater runoff creates an unhealthy situation for recreation and wildlife—and can impact our drinking water quality!


The following stormwater education outreach was completed in 2022:

- On Facebook:
 - Spring Fertilizer Campaign reached 7,471 residentsSummer Dog Waste Campaign reached 7,098 residents
- Town-wide educational postcard mailed to all residents
- Educational storm drain markers placed at 32 sites
- Septic information delivered to all Water Department customers through newsletter water bill insert

Take simple steps around your home or business to help prevent polluted stormwater runoff in Sharon.

- · Keep storm drains clear of leaves and yard waste.
- Use organic fertilizers and pesticides, test your soil before using, and never use more than what is recommended on the package. Sweep up all spills.
- Redirect downspouts away from pavement and onto grassy areas, where runoff from your roof can soak into the ground.

Learn more at YourCleanWater.org



Pick Up After Your Dog

Dog waste pollutes our water and makes us sick. Unlike other contaminants, such as fertilizer and motor oil, dog waste carries parasites and bacteria, which can be transmitted to humans and make them sick.

When dog waste decomposes, it releases nutrients that cause excessive growth of algae and weeds and is a major contributor to local water pollution.

Please be a responsible pet owner and neighbor.

Always pick up your dog's waste and dispose of it in a trash can!



The Town of Sharon is proactive about protecting the waters of Lake Massapoag from contamination.

Per the Sharon Board of Health: No dogs are allowed on Veteran's Memorial Beach and the Community Center Beach from April 15th - October 15th. Outside of those dates, dogs are permitted *if leashed.*

Persons walking dogs must carry a device to remove and dispose of dog waste in a trash can.

Тоwи ог Sharon WATER QUALITY REPORT FOR 2022

ИОЯТАЧ ЛАТ2ОЧ 7800, АМ ,ИОЯАН2



Department of Public Works Department of Public Works

